

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	MAR 15	WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS	3	MAR 16	CASREACT coverage extended
NEWS	4	MAR 20	MARPAT now updated daily
NEWS	5	MAR 22	LWPI reloaded
NEWS	6	MAR 30	RDISCLOSURE reloaded with enhancements
NEWS	7	APR 02	JICST-EPLUS removed from database clusters and STN
NEWS	8	APR 30	GENBANK reloaded and enhanced with Genome Project ID field
NEWS	9	APR 30	CHEMCATS enhanced with 1.2 million new records
NEWS	10	APR 30	CA/CAPplus enhanced with 1870-1889 U.S. patent records
NEWS	11	APR 30	INPADOC replaced by INPADOCDB on STN
NEWS	12	MAY 01	New CAS web site launched
NEWS	13	MAY 08	CA/CAPplus Indian patent publication number format defined
NEWS	14	MAY 14	RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS	15	MAY 21	BIOSIS reloaded and enhanced with archival data
NEWS	16	MAY 21	TOXCENTER enhanced with BIOSIS reload
NEWS	17	MAY 21	CA/CAPplus enhanced with additional kind codes for German patents
NEWS	18	MAY 22	CA/CAPplus enhanced with IPC reclassification in Japanese patents
NEWS	19	JUN 27	CA/CAPplus enhanced with pre-1967 CAS Registry Numbers
NEWS	20	JUN 29	STN Viewer now available
NEWS	21	JUN 29	STN Express, Version 8.2, now available
NEWS	22	JUL 02	LEMBASE coverage updated
NEWS	23	JUL 02	LMEDLINE coverage updated
NEWS	24	JUL 02	SCISEARCH enhanced with complete author names
NEWS	25	JUL 02	CHEMCATS accession numbers revised
NEWS	26	JUL 02	CA/CAPplus enhanced with utility model patents from China
NEWS	27	JUL 16	CAPplus enhanced with French and German abstracts
NEWS	28	JUL 18	CA/CAPplus patent coverage enhanced
NEWS	29	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification

NEWS EXPRESS 29 JUNE 2007: CURRENT WINDOWS VERSION IS V8.2,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 05 JULY 2007.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 06:33:42 ON 30 JUL 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 06:33:51 ON 30 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 29 JUL 2007 HIGHEST RN 943590-78-1

DICTIONARY FILE UPDATES: 29 JUL 2007 HIGHEST RN 943590-78-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10524204.str



```

chain nodes :
11 12 13 15
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
2-12 3-15 8-13 9-11
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
3-15 5-7 6-9 7-8 8-9 8-13
exact bonds :
2-12 9-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

```

G1:O,CN,X,Ak

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 11:CLASS
12:CLASS 13:Atom 15:CLASS

```


L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

G1



G1 O,CN,X,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 06:34:07 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 2445 TO ITERATE

81.8% PROCESSED 2000 ITERATIONS.

46 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 45934 TO 51866

PROJECTED ANSWERS: 675 TO 1573

L2 46 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 06:34:11 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 48076 TO ITERATE

100.0% PROCESSED 48076 ITERATIONS

1043 ANSWERS

SEARCH TIME: 00.00.01

L3 1043 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

172.31

FILE 'CAPLUS' ENTERED AT 06:34:18 ON 30 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 30 Jul 2007 VOL 147 ISS 6
FILE LAST UPDATED: 29 Jul 2007 (20070729/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13 full

L4 55 L3

=> s 14 and py<2002

21892403 PY<2002

L5 22 L4 AND PY<2002

=> d ibib abs hitstr 1-10

L5 ANSWER 1 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:472714 CAPLUS

DOCUMENT NUMBER: 135:76871

TITLE: Preparation of substituted homopiperidinyl benzimidazole analogues as fundic relaxants

INVENTOR(S): Janssens, Frans Eduard; Guillemont, Jerome Emile Georges; Sommen, Francois Maria

PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V.; Belg.

SOURCE: PCT Int. Appl., 51 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001046189	A1	20010628	WO 2000-EP12858	20001214 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
TW 225488	B	20041221	TW 2000-89126315	20001211
CA 2393158	A1	20010628	CA 2000-2393158	20001214 <--
BR 2000016638	A	20021001	BR 2000-16638	20001214
EP 1250337	A1	20021023	EP 2000-985180	20001214
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
HU 200203847	A2	20030328	HU 2002-3847	20001214
JP 2003518118	T	20030603	JP 2001-547099	20001214
EE 200200326	A	20031015	EE 2002-326	20001214
AU 781144	B2	20050505	AU 2001-21673	20001214
BG 106749	A	20030131	BG 2002-106749	20020529

IN 2002MN00745	A	20050304	IN 2002-MN745	20020607
US 2003139393	A1	20030724	US 2002-169011	20020619
NO 2002002977	A	20020808	NO 2002-2977	20020620
NO 322362	B1	20060925		
ZA 2002004983	A	20030922	ZA 2002-4983	20020620
MX 2002PA06346	A	20021213	MX 2002-PA6346	20020621
PRIORITY APPLN. INFO.:			EP 1999-204441	A 19991221
			WO 2000-EP12858	W 20001214
OTHER SOURCE(S):	MARPAT 135:76871			
GI				




AB The title compds. [I; the bivalent radical A = (un)substituted (un)saturated homopiperidinyll; a1:a2a3:a4 = CH:CHCH:CH, N:CHCH:CH, CH:NCH:CH, etc.; R1 = H, alkyl, aryl, etc.; X = O, S, NH, etc.] and their prodrugs, N-oxides, addition salts, quaternary amines and stereochem. isomeric forms, useful as a medicine, in particular for treating dyspeptic symptoms, irritable bowel syndrome and other conditions related to a hampered or impaired relaxation of the fundus, were prepared E.g., a 2-step synthesis of II which showed the mean maximal change of 87 mL in gastric volume on relaxation of the fundus, 1 h after S.C. administration at 0.63 mg/kg, was given.

IT 346734-54-1P 346734-77-8P 346734-91-6P
346734-92-7P 346734-93-8P 346734-94-9P
346734-95-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of substituted homopiperidinyll benzimidazole analogs as fundic relaxants)


RN 346734-54-1 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-[hexahydro-1-(phenylmethyl)-1H-azepin-4-yl]- (9CI) (CA INDEX NAME)




RN 346734-77-8 CAPLUS


CN 1H-Imidazo[4,5-b]pyridine-6-carboxylic acid, 2-[hexahydro-1-(phenylmethyl)-1H-azepin-4-yl]-, methyl ester (9CI) (CA INDEX NAME)




RN 346734-91-6 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[hexahydro-1-(phenylmethyl)-1H-azepin-4-yl]- (9CI) (CA INDEX NAME)




RN 346734-92-7 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 2-[hexahydro-1-(phenylmethyl)-1H-azepin-4-yl]-6-methoxy- (9CI) (CA INDEX NAME)




RN 346734-93-8 CAPLUS
 CN 1H-Azepin-4-ol, 4-(6-bromo-1H-imidazo[4,5-b]pyridin-2-yl)hexahydro-1-(phenylmethyl)- (9CI) (CA INDEX NAME)



RN 346734-94-9 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-[2,5,6,7-tetrahydro-1-(phenylmethyl)-1H-azepin-4-yl]- (9CI) (CA INDEX NAME)



RN 346734-95-0 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-[2,3,6,7-tetrahydro-1-(phenylmethyl)-1H-azepin-4-yl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:395258 CAPLUS

DOCUMENT NUMBER: 135:152753

TITLE: Structure and reactions of monoanils obtained from 2,3-pyridinediamines

AUTHOR(S): Dubey, P. K.; Kulkarni, Subhash M.; Kumar, R. Vinod

CORPORATE SOURCE: Department of Chemistry, College of Engineering, J N T University, Hyderabad, 500 072, India

SOURCE: Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (2001), 40B(5), 361-367

CODEN: IJSBDB; ISSN: 0376-4699

PUBLISHER: National Institute of Science Communication, CSIR

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 135:152753

AB The reaction of 2,3-pyridinediamines with aromatic aldehydes results in the formation of 2-amino-3-arylideneaminopyridines (I), resp. Dehydrogenative cyclization of I with different reagents give 2-aryl-1H-imidazo[4,5-b]pyridines. Reactions of I with different reagents have been described.

IT 65147-89-9P 331416-68-3P 332419-69-9P


332419-72-4P 332419-75-7P 352672-83-4P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and reactions of monoanils obtained from 2,3-pyridinediamines)


RN 65147-89-9 CAPLUS

CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-phenyl- (CA INDEX NAME)




RN 331416-68-3 CAPLUS

CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-methoxyphenyl)- (CA INDEX NAME)




RN 332419-69-9 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-chlorophenyl)- (9CI) (CA INDEX NAME)




RN 332419-72-4 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-methylphenyl)- (9CI) (CA INDEX NAME)




RN 332419-75-7 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-nitrophenyl)- (9CI) (CA INDEX NAME)



RN 352672-83-4 CAPLUS

CN Benzenamine, 4-(6-bromo-3H-imidazo[4,5-b]pyridin-2-yl)-N,N-dimethyl- (CA INDEX NAME)



REFERENCE COUNT: 17 THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 3 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:76706 CAPLUS

DOCUMENT NUMBER: 134:280662

TITLE: Studies on arylation of 2,3-pyridinediamines

AUTHOR(S): Dubey, P. K.; Kumar, R. Vinod

CORPORATE SOURCE: Department of Chemistry, College of Engineering, J.N.T. University, Hyderabad, 500 072, India

SOURCE: Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (2000), 39B(10), 746-751

CODEN: IJSBDB; ISSN: 0376-4699

PUBLISHER: National Institute of Science Communication, CSIR

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 134:280662


AB The reaction of 2,3-pyridinediamine and its 5-bromo analog, independently, with acid chloride or anhydride does not yield the diaroyl derivative and instead yields the cyclized product or the monoaroyl derivative depending upon the conditions. Studies on the attempted condensation of the monoaroyl derivative with acid chlorides have been described and a rational explanation has been offered for the unusual resistance of the 2-amino group towards further attack by electrophiles.

IT 65147-89-9P 331416-68-3P 332419-69-9P
332419-72-4P 332419-75-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(arylation of 2,3-pyridinediamines)


RN 65147-89-9 CAPLUS

CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-phenyl- (CA INDEX NAME)




RN 331416-68-3 CAPLUS

CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-methoxyphenyl)- (CA INDEX NAME)




RN 332419-69-9 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-chlorophenyl)- (9CI) (CA INDEX NAME)




RN 332419-72-4 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-methylphenyl)- (9CI) (CA INDEX NAME)



RN 332419-75-7 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(4-nitrophenyl)- (9CI) (CA INDEX NAME)




REFERENCE COUNT:


10

THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS

L5 ANSWER 4 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1999:580827 CAPLUS
 DOCUMENT NUMBER: 131:322578
 TITLE: Studies on the condensation of 2,3-pyridinediamines with 2-phenyl-3,1-benzoxazin-4(H)-one
 AUTHOR(S): Dubey, P. K.; Kumar, R. Vinod
 CORPORATE SOURCE: Department of Chemistry, College of Engineering, J.N.T. University, Hyderabad, 500 072, India
 SOURCE: Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (1999), 38B(6), 732-734
 CODEN: IJSBDB; ISSN: 0376-4699
 PUBLISHER: National Institute of Science Communication, CSIR
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB The reaction of 2,3-pyridinediamine and its 5-bromo analog with 2-phenyl-3,1-benzoxazin-4(H)-one in refluxing acetic acid leads to the formation of 2-(2'-N-benzoylaminophenyl)imidazo[4,5-b]pyridine and 6-bromo-2-(2'-N-benzoylaminophenyl)imidazo[4,5-b]pyridine as products.
 IT 248583-17-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of (N-benzoylaminophenyl)imidazo[4,5-b]pyridines)
 RN 248583-17-7 CAPLUS
 CN Benamide, N-[2-(6-bromo-1H-imidazo[4,5-b]pyridin-2-yl)phenyl]- (9CI) (CA INDEX NAME)




IT 248583-18-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of (N-benzoylaminophenyl)imidazo[4,5-b]pyridines)
 RN 248583-18-8 CAPLUS
 CN Benzenamine, 2-(6-bromo-1H-imidazo[4,5-b]pyridin-2-yl)- (9CI) (CA INDEX NAME)




REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 5 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1995:133241 CAPLUS
 DOCUMENT NUMBER: 122:55947
 TITLE: Synthesis of a 1H-imidazo[4,5-b]pyridine oxypropanolamine derivative as an atenolol-sulmazole hybrid

AUTHOR(S): Barraclough, Paul; Smith, Steven; Gillam, Janet M.;
 Kettle, Dianne; Nobbs, Malcolm S.
 CORPORATE SOURCE: Department Medicinal Chemistry, Wellcome Research
 Laboratories, Beckenham/Kent, BR3 3BS, UK
 SOURCE: Journal of Chemical Research, Synopses (1994
), (11), 426
 CODEN: JRPSDC; ISSN: 0308-2342
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 122:55947
 GI




I




II


AB A short route to an N-(1H-imidazo[4,5-b]pyridin-6-yl)-substituted derivative I
 of atenolol is described. Thus, (±)-4-(oxiranylmethoxy)phenylacetamide
 reacted with imidazopyridine II to give I in 31% yield.
 IT 159890-50-3P 159890-51-4P 159890-54-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation, inotropic, and adrenoceptor antagonist activity of
 imidazopyridine oxypropanolamine)
 RN 159890-50-3 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine-6-carbonitrile, 2-(2,4-dimethoxyphenyl)- (9CI)
 (CA INDEX NAME)




RN 159890-51-4 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine-6-methanamine, 2-(2,4-dimethoxyphenyl)- (9CI)
 (CA INDEX NAME)




RN 159890-54-7 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(2,4-dimethoxyphenyl)- (9CI) (CA INDEX NAME)



IT 159890-52-5P 159890-53-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation, inotropic, and adrenoceptor antagonist activity of
 imidazopyridine oxypropanolamine)
 RN 159890-52-5 CAPLUS
 CN Benzeneacetamide, 4,4'-[[[2-(2,4-dimethoxyphenyl)-1H-imidazo[4,5-b]pyridin-6-yl]methyl]imino]bis[(2-hydroxy-3,1-propanediyl)oxy]]bis- (9CI)
 (CA INDEX NAME)




RN 159890-53-6 CAPLUS
 CN Benzeneacetamide, 4-[3-[[[2-(2,4-dimethoxyphenyl)-1H-imidazo[4,5-b]pyridin-6-yl]methyl]amino]-2-hydroxypropoxy]- (9CI) (CA INDEX NAME)



L5 ANSWER 6 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1994:655716 CAPLUS
 DOCUMENT NUMBER: 121:255716
 TITLE: Synthesis, DNA binding, sequence preference and

biological evaluation of minor groove-selective
 N1-alkoxyalkyl-bis-benzimidazoles
 AUTHOR(S): Wang, Huiying; Gupta, Rajan; Lown, J. William
 CORPORATE SOURCE: Dep. Chem., Univ. Alberta, Edmonton, AB, T6G 2G2, Can.
 SOURCE: Anti-Cancer Drug Design (1994), 9(3), 153-80
 CODEN: ACDDEA; ISSN: 0266-9536
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI




AB The synthesis and characterization of two groups of N1-alkoxyalkylbisbenzimidazoles are described. These groups of agents, that differ in the orientation of the N3-alkoxyalkyl group with respect to the minor groove of the DNA receptor, were designed to examine the structural requirements of mol. recognition of these minor groove-selective anticancer agents. The relative binding of the 12 agents to poly(dA-dT), determined by ethidium displacement in C50 values, ranged from 0.62 to 14.20 $\mu\text{g/mL}$. Sequence-preferential binding, established by complementary strand MPE $\cdot\text{Fe(II)}$ foot printing, was predominantly AT selective, but with significantly enhanced GC recognition in the cases of those ligands bearing an accessible pyridine N directed inwards to the minor groove. Binding site sizes were generally 5 ± 1 base pairs. Cytotoxicities against KB human tumor cells ranged from 0.93 to 46.59 $\mu\text{g/mL}$. The most potent agent I, which also showed the strongest DNA binding, is of the 'r-inward-directed' type. The stringent structural requirements within the alkoxyalkyl R group for potency suggest addnl. specific interactions or chemical reaction of I within the groove that more than compensate for the increased steric hindrance.

IT 158724-05-1P 158724-21-1P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (synthesis, DNA binding, sequence preference and biol. evaluation of minor groove-selective alkoxyalkylbisbenzimidazoles)


RN 158724-05-1 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 2-(4-methoxyphenyl)-6-methyl- (9CI) (CA INDEX NAME)



RN 158724-21-1 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine-6-carboxaldehyde, 2-(4-methoxyphenyl)- (9CI)
 (CA INDEX NAME)



L5 ANSWER 7 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1994:655405 CAPLUS

DOCUMENT NUMBER: 121:255405

TITLE: Catechol diethers as selective phosphodiesterase IV inhibitors

INVENTOR(S): Duplantier, Allen J.; Eggler, James F.; Marfat, Anthony; Masamune, Hiroko

PATENT ASSIGNEE(S): Pfizer Inc., USA

SOURCE: PCT Int. Appl., 159 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9412461	A1	19940609	WO 1993-US10228	19931029 <--
W: AU, BR, CA, CZ, JP, KR, NO, NZ, PL, RU, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2150812	A1	19940609	CA 1993-2150812	19931029 <--
CA 2150812	C	20021224		
CA 2400368	A1	19940609	CA 1993-2400368	19931029 <--
AU 9455396	A	19940622	AU 1994-55396	19931029 <--
AU 673569	B2	19961114		
EP 672031	A1	19950920	EP 1994-900390	19931029 <--
EP 672031	B1	20030312		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
JP 08501318	T	19960213	JP 1994-513129	19931029 <--
JP 3100984	B2	20001023		
BR 9307570	A	19990525	BR 1993-7570	19931029 <--
AT 234270	T	20030315	AT 1994-900390	19931029
PT 672031	T	20030630	PT 1994-900390	19931029
ES 2192192	T3	20031001	ES 1994-900390	19931029
IL 107758	A	19971120	IL 1993-107758	19931125 <--
FI 9305379	A	19940603	FI 1993-5379	19931201 <--
ZA 9308978	A	19950601	ZA 1993-8978	19931201 <--
HU 65928	A2	19940728	HU 1993-3423	19931202 <--
CN 1094028	A	19941026	CN 1993-112776	19931202 <--
NO 9502178	A	19950801	NO 1995-2178	19950601 <--
US 5814651	A	19980929	US 1997-872686	19970610 <--
PRIORITY APPLN. INFO.:			US 1992-984408	A 19921202
			CA 1993-2150812	A3 19931029
			WO 1993-US10228	W 19931029
			US 1993-142328	B3 19931126

OTHER SOURCE(S): MARPAT 121:255405

GI




AB The title compds. [I; A, B = direct bond, (un)substituted C1-5 alkylene, (un)substituted alkenyl, (un)substituted phenylene; R1 = Me, Et, CF2H, CF3; R2 = C1-6 alkyl, alkoxyalkyl, phenoxyalkyl, cycloalkyl, etc.; Y = direct bond, O, NR6, S; R6 = H, C1-4 alkyl; Z = (un)substituted monocyclic or bicyclic heterocyclyl], which are inhibitors of phosphodiesterase IV (no data), useful in the treatment of inflammatory conditions (no data), etc., are prepared. Thus, 3-(carbomethoxy)benzyltriphenylphosphonium bromide was reacted with 3-cyclopentyloxy-4-methoxybenzaldehyde in the presence of BuLi, producing Me 3-[2-[3-(cyclopentyloxy)-4-methoxyphenyl]ethenyl]benzoate (36% cis-isomer, 36% trans-isomer).

IT 158428-72-9P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and phosphodiesterase IV inhibitory activity of)

RN 158428-72-9 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine-6-carboxylic acid, 2-[3-[(2,3-dihydro-1H-inden-2-yl)oxy]-4-methoxyphenyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 8 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1992:571309 CAPLUS

DOCUMENT NUMBER: 117:171309

TITLE: Inotropic 2-arylimidazo[1,2-a]pyrimidines

AUTHOR(S): Barraclough, P.; Black, J. W.; Cambridge, D.; Capon, E.; Cox, M. R.; Firmin, D.; Gerskowitch, V. P.; Giles, H.; Glen, R. C.; et al.


CORPORATE SOURCE: Dep. Med. Chem., Wellcome Res. Lab., Beckenham/Kent, BR3 3BS, UK

SOURCE: European Journal of Medicinal Chemistry (1992), 27(3), 207-17
CODEN: EJMCA5; ISSN: 0223-5234

DOCUMENT TYPE: Journal

LANGUAGE: English


GI




AB A series of 2-arylimidazo[1,2-a]pyrimidines were prepared and evaluated for inotropic activity. Thus, 2-aminopyrimidine was treated with 2,4-(MeO)2C6H3COCH2Br to give 52% I (R = MeO). Three of these

heterocycles I (R = MeO, MeS, MeSO₃) displayed more potent inotropic effects in vitro than isomazole. The in vivo inotropic potencies of I (R = MeSO₃, NH₂CO) were similar to those of isomazole and sulmazole resp. The effects of some 'A' and 'C' ring substituents on the inotropic activities of the imidazo[1,2-a]pyrimidines were different from those on the imidazopyridines. Nevertheless the inotropic potencies of several imidazo[1,2-a]pyrimidines were closed to those of their 1H-imidazo[4,5-b]pyridine isomers than to those of the corresponding isomazole analogs. Structure-activity relationships are discussed in detail.


IT 77439-55-5 127356-02-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (inotropic activity of)
 RN 77439-55-5 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-
 (9CI) (CA INDEX NAME)




RN 127356-02-9 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-methoxy-2-[2-methoxy-4-(methylsulfinyl)phenyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 9 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1990:571408 CAPLUS.
 DOCUMENT NUMBER: 113:171408
 TITLE: Proton and carbon-13 NMR studies of the protonation of
 isomeric methoxysulmazole analogs
 AUTHOR(S): Lindon, J. C.; Williams, J. M.; Barraclough, P.; King,
 W. R.; Nobbs, M. S.
 CORPORATE SOURCE: Dep. Phys. Sci., Wellcome Res. Lab., Beckenham/Kent,
 BR3 3BS, UK
 SOURCE: Magnetic Resonance in Chemistry (1990),
 28(7), 573-5
 CODEN: MRCHEG; ISSN: 0749-1581
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI



I



II

AB The protonation sites of title compds. I (R = 5-, 6-, 7-MeO) and II (R = 4-, 6-, 7-MeO) were determined by ¹³C and ¹H NMR. All II and I (R = 7-MeO) were protonated on the pyridine N. I (R = 5- and 6-MeO) were protonated on the imidazo N.


IT 129822-10-2

RL: PRP (Properties)

(NMR of carbon-13 and hydrogen in)

RN 129822-10-2 CAPLUS

CN Hydrochloric acid-d, compd. with 6-methoxy-2-[2-methoxy-4-(methylsulfinyl)phenyl]-1H-imidazo[4,5-b]pyridine (1:1) (9CI) (CA INDEX NAME)



● DC1


IT 127356-02-9

RL: PRP (Properties)

(protonation site of)

RN 127356-02-9 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-methoxy-2-[2-methoxy-4-(methylsulfinyl)phenyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 10 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1990:459029 CAPLUS



DOCUMENT NUMBER: 113:59029

TITLE: Inotropic 'A' ring substituted sulmazole and isomazole analogs

AUTHOR(S): Barraclough, Paul; Black, James W.; Cambridge, David; Collard, David; Firmin, David; Gerskowitch, V. Paul; Glen, Robert C.; Giles, Heather; Hill, Alan P.; et al.

CORPORATE SOURCE: Dep. Med. Chem., Wellcome Res. Lab., Beckenham/Kent, BR3 3BS, UK

SOURCE: Journal of Medicinal Chemistry (1990),
33(8), 2231-9
CODEN: JMCMAR; ISSN: 0022-2623
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 113:59029
GI




AB A series of "A" ring substituted sulmazole I [R = 4-, 5-, 6-MeO, 5-NO₂, 5-Cl, 5-Me, 5-Ac; X = S, S(O), O] and isomazole analogs II [R = 2-, 5-, 6-MeO, 5-NH₂, 5-NO₂; X = S, S(O), O] were prepared and evaluated as inotropic agents. Thus, 5-methoxy-2,3-pyridinediamine was cyclized with 2-methoxy-4-(methylthio)benzoic acid to give I (R = 5-MeO, X = S), which was oxidized to give I [R = 5-MeO, X = S(O)]. PKA's, protonation sites, and log P values were measured for selected compds. and their electronic properties were calculated. No simple correlation between inotropic activity and pK_a, protonation site, or log P value was observed. However, in vitro inotropism did correlate with the calculated charge d. of the "B" ring imidazo nitrogen atom. The 6-position of sulmazole appeared to be the most tolerant toward substituents, the 6-amino derivative I [R = 6-NH, X = S(O)] being a more potent inotrope than sulmazole itself. 4-Methoxyisomazole had comparable in vivo inotropic properties to those of isomazole.

IT 77439-55-5P 107238-22-2P 107238-23-3P
127356-02-9P 127356-06-3P 127356-44-9P
127382-94-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and inotropic activity of)


RN 77439-55-5 CAPLUS

CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-
(9CI) (CA INDEX NAME)




RN 107238-22-2 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-6-methyl-
(9CI) (CA INDEX NAME)




RN 107238-23-3 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-[2-methoxy-4-(methylsulfinyl)phenyl]- (9CI) (CA INDEX NAME)




RN 127356-02-9 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-methoxy-2-[2-methoxy-4-(methylsulfinyl)phenyl]- (9CI) (CA INDEX NAME)



RN 127356-06-3 CAPLUS


CN Ethanone, 1-[2-(2,4-dimethoxyphenyl)-1H-imidazo[4,5-b]pyridin-6-yl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 127356-44-9 CAPLUS

CN Ethanone, 1-[2-(2,4-dimethoxyphenyl)-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)




RN 127382-94-9 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-[2-methoxy-4-(methylsulfinyl)phenyl]-, hydrochloride (2:1) (9CI) (CA INDEX NAME)




● 1/2 HCl

IT 127356-19-8P 127356-24-5P 127356-25-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and oxidation of)


RN 127356-19-8 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-methoxy-2-[2-methoxy-4-(methylthio)phenyl]- (9CI) (CA INDEX NAME)



RN 127356-24-5 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-[2-methoxy-4-(methylthio)phenyl]- (9CI) (CA INDEX NAME)



RN 127356-25-6 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine, 2-[2-methoxy-4-(methylthio)phenyl]-6-methyl- (9CI) (CA INDEX NAME)



=> FIL STNGUIDE
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
56.59	228.90

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-7.80	-7.80





CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 06:36:45 ON 30 JUL 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Jul 27, 2007 (20070727/UP).

=> d ibib abs hitstr 11-22
YOU HAVE REQUESTED DATA FROM FILE 'CAPLUS' - CONTINUE? (Y)/N:y

L5 ANSWER 11 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1988:112331 CAPLUS
DOCUMENT NUMBER: 108:112331
TITLE: Synthesis of 2-aryl-substituted imidazo[4,5-b]pyridines and imidazo[4,5-c]pyridines
AUTHOR(S): Yutilov, Yu. M.; Shcherbina, L. I.
CORPORATE SOURCE: Inst. Fiz.-Org. Khim. Uglekhim., Donetsk, 340114, USSR
SOURCE: Khimiya Geterotsiklicheskikh Soedinenii (1987), (5), 639-45
CODEN: KGSSAQ; ISSN: 0453-8234
DOCUMENT TYPE: Journal
LANGUAGE: Russian
OTHER SOURCE(S): CASREACT 108:112331
GI



AB Heating diaminopyridines I (R = H, Me; X = H, Cl, Br) or II (R = H, Me) with R1CHO [R1 = Ph, 4-ClC6H4, 4-FC6H4, 4-HOC6H4, 4-MeOC6H4, 4-Me2NC6H4,


2,5-(MeO)2C6H3, 2-thienyl, 3-pyridyl, etc.] and S gave 70-93% title compds. III (same R, R1, X) or IV (same R, R1). Intramol. cyclization of I (X = H, R = CH2Ph) or II (R = CH2Ph) by heating with S gave 48% III (X = H, R = H, R1 = Ph) or 60% IV (R = H, R1 = Ph), resp.

IT 113311-85-6P 113311-86-7P 113311-87-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 113311-85-6 CAPLUS

CN Benzenamine, 4-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-N,N-dimethyl-
(9CI) (CA INDEX NAME)




RN 113311-86-7 CAPLUS

CN Phenol, 2-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-6-methoxy- (9CI) (CA INDEX NAME)



RN 113311-87-8 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(2,5-dimethoxyphenyl)- (9CI) (CA INDEX NAME)



L5 ANSWER 12 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:176382 CAPLUS

DOCUMENT NUMBER: 106:176382

TITLE: 2-(Thiazole-2-yl)imidazo[4,5-b]pyridine analogs

INVENTOR(S): Nasu, Rikuo; Komyoji, Terumasa; Nakajima, Toshio;
Nishimura, Shigeyuki; Ito, Keiichiro; Suzuki, Kazumi;
Yoshimura, Hideji

PATENT ASSIGNEE(S): Ishihara Sangyo Kaisha, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

JP 62022782
PRIORITY APPLN. INFO.:
GI

A 19870130

JP 1985-162292
JP 1985-162292

19850723 <--
19850723



AB The title compds. (I or II; A = CH, N; R = H, Cl, Br, CF₃), useful as plant fungicides, were prepared MeONa (28%) in MeOH and 2-(trichloromethyl)-6-(trifluoromethyl)imidazo[4,5-b]pyridine were successively added to a solution of HSCH₂CH₂NH₂.HCl in MeOH to give, after 2 h at room temperature, 2-(thiazol-2-yl)-6-(trifluoromethyl)imidazo[4,5-b]pyridine whose reaction with Me₂NSO₂Cl in MeCN containing K₂CO₃ at b. temperature


gave a 1:1 mixture of I (R = CF₃, A = N) and its isomer II. This at 500 ppm inhibited by 100% the growth of Pseudopersonospora Cubensis in cucumbers.

IT 107867-50-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and sulfamoylation of)

RN 107867-50-5 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 2-(4,5-dihydro-2-thiazolyl)-6-(trifluoromethyl)-
(9CI) (CA INDEX NAME)



L5 ANSWER 13 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1987:156466 CAPLUS

DOCUMENT NUMBER: 106:156466

TITLE: Preparation of 2-arylimidazole derivatives as cardiovascular agents

INVENTOR(S): Mueller, Erich; Huel, Norbert; Noll, Klaus; Narr, Berthold; Heider, Joachim; Psiorz, Manfred; Bomhard, Andreas; Meel, Van Jacques; Diederer, Willi

PATENT ASSIGNEE(S): Thomae, Dr. Karl, G.m.b.H., Fed. Rep. Ger.

SOURCE: Ger. Offen., 29 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3522230	A1	19870102	DE 1985-3522230	19850621 <--
EP 209707	A2	19870128	EP 1986-107969	19860611 <--
EP 209707	A3	19890201		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
FI 8602623	A	19861222	FI 1986-2623	19860619 <--
DK 8602909	A	19861222	DK 1986-2909	19860620 <--
NO 8602477	A	19861222	NO 1986-2477	19860620 <--

AU 8658932	A	19861224	AU 1986-58932	19860620 <--
JP 62000471	A	19870106	JP 1986-144658	19860620 <--
HU 42452	A2	19870728	HU 1986-2615	19860620 <--
ES 556338	A1	19871201	ES 1986-556338	19860620 <--
ZA 8604602	A	19880224	ZA 1986-4602	19860620 <--
ES 557240	A1	19870516	ES 1986-557240	19861204 <--
ES 557241	A1	19870516	ES 1986-557241	19861204 <--

PRIORITY APPLN. INFO.:

DE 1985-352230 A 19850621

OTHER SOURCE(S): CASREACT 106:156466; MARPAT 106:156466

GI For diagram(s), see printed CA Issue.


AB The title compds. [I; R1 = H, alkyl; R2 = (substituted) Ph, naphthyl; A = fused (substituted) naphtho, benzo, pyrido, pyrimido ring] were prepared as cardiovascular agents. 2,4-MeO(MeSO2NH)C6H3CO2H cyclocondensed with 3,4-(H2N)2C6H3CN to give phenylbenzimidazolecarbonitrile II. In cats 0.6 mg II/kg i.v. reduced blood pressure 40 mm Hg.

IT 107238-22-2 107238-23-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(imination of)


RN 107238-22-2 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-6-methyl-
(9CI) (CA INDEX NAME)



RN 107238-23-3 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-[2-methoxy-4-(methylsulfinyl)phenyl]-
(9CI) (CA INDEX NAME)




IT 107284-99-1P 107285-00-7P 107285-13-2P


RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, as antihypertensive and antithrombotic)

RN 107284-99-1 CAPLUS


CN Sulfoximine, S-[3-methoxy-4-(6-methyl-1H-imidazo[4,5-b]pyridin-2-yl)phenyl]-S-methyl- (9CI) (CA INDEX NAME)



RN 107285-00-7 CAPLUS
 CN Sulfoximine, S-[4-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-3-methoxyphenyl]-S-methyl- (9CI) (CA INDEX NAME)



RN 107285-13-2 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridine-6-carbonitrile, 2-[2-methoxy-4-(methylthio)phenyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 14 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1985:437476 CAPLUS
 DOCUMENT NUMBER: 103:37476
 TITLE: Imidazoles and a pharmaceutical containing them
 INVENTOR(S): Austel, Volkhard; Heider, Joachim; Hael, Norbert; Reiffen, Manfred; Van Meel, Jakobus C. A.; Diederer, Willi
 PATENT ASSIGNEE(S): Thomae, Dr. Karl, G.m.b.H., Fed. Rep. Ger.
 SOURCE: Ger. Offen., 33 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3324115	A1	19850117	DE 1983-3324115	19830705 <--
EP 130461	A2	19850109	EP 1984-107002	19840619 <--
EP 130461	A3	19870506		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
US 4670438	A	19870602	US 1984-623718	19840622 <--
DK 8403264	A	19850106	DK 1984-3264	19840703 <--
FI 8402666	A	19850106	FI 1984-2666	19840703 <--
NO 8402684	A	19850107	NO 1984-2684	19840703 <--
DD 224851	A5	19850717	DD 1984-264889	19840703 <--
JP 60036486	A	19850225	JP 1984-137395	19840704 <--
HU 34475	A2	19850328	HU 1984-2616	19840704 <--
HU 194878	B	19880328		
ES 533995	A1	19850616	ES 1984-533995	19840704 <--
ZA 8405103	A	19860326	ZA 1984-5103	19840704 <--
AU 8430323	A	19850110	AU 1984-30323	19840705 <--
ES 541660	A1	19851216	ES 1985-541660	19850328 <--
ES 541661	A1	19851216	ES 1985-541661	19850328 <--
ES 541662	A1	19851216	ES 1985-541662	19850328 <--

US 4766130
PRIORITY APPLN. INFO.:


A 19880823

US 1987-7530
DE 1983-3324115
US 1984-623718

19870128 <--
A 19830705
A3 19840622

OTHER SOURCE(S):
GI

CASREACT 103:37476; MARPAT 103:37476




AB Fused-ring imidazoles I (R = R2O, R3SO2NR4; R1 = alkoxy, alkenyloxy, alkynyloxy, dialkylamino; R2 = H, alkynyl, R3SO2, R4O2CCH2, NCCH2; R3 = alkyl; R4 = H, alkyl; X-X3 = N, NH, CH, CO, COH, CO3SR3) were prepared. Thus, 4-(1H-imidazo[4,5-b]pyridin-2-yl)-3-methoxyphenyl methanesulfonate was oxidized by H2O2 in F3CCO2H to give 63% 4-oxide (II). This was rearranged by refluxing in Ac2O to give 36% imidazopyridinone III. In cats 2 mg III i.v. reduced blood pressure 50 mm Hg and increased the heart contractility parameter 158%.

IT 97050-47-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and antihypertensive and inotropic activity of)

RN 97050-47-0 CAPLUS

CN Methanesulfonamide, N-[4-(6-hydroxy-1H-imidazo[4,5-b]pyridin-2-yl)-3-methoxyphenyl]- (9CI) (CA INDEX NAME)



L5 ANSWER 15 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1985:45931 CAPLUS

DOCUMENT NUMBER: 102:45931

TITLE: Thiazole derivatives, and pharmaceutical compositions comprising them

INVENTOR(S): Takaya, Takao; Takasugi, Hisashi

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 35 pp.

CODEN: EPXXDW

DOCUMENT TYPE:

Patent

LANGUAGE:



English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 117082	A2	19840829	EP 1984-300575	19840130 <--
EP 117082	A3	19870415		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
US 4649146	A	19870310	US 1984-574517	19840127 <--
DK 8400410	A	19840801	DK 1984-410	19840130 <--
ES 529282	A1	19850416	ES 1984-529282	19840130 <--
JP 59193878	A	19841102	JP 1984-16887	19840131 <--
JP 05079677	B	19931104		
ES 535978	A1	19851116	ES 1984-535978	19840917 <--
US 4735957	A	19880405	US 1986-932097	19861118 <--
PRIORITY APPLN. INFO.:			GB 1983-2591	A 19830131
			GB 1983-25684	A 19830926
			US 1984-574517	A3 19840127

OTHER SOURCE(S): MARPAT 102:45931
GI




AB Blood pressure regulating, cardiogenic, and antiulcer thiazoles I [R = H, OH, alkyl, pyridyl, (un)substituted amino, guanidino; R₁ = alkyl, carboxy, carboxy derivs., CH₂OH, CH:OH, halomethyl, alkylthiomethyl, (un)substituted alkenyl; R₂ = alkyl, haloalkyl, (un)substituted N-containing heterocyclyl; n = 0, 1] were prepared (about 130 compds.). Thus R₃CH₂COCO₂Et (R₃ = pyridine-N-oxide-4-yl) was chlorinated and treated with PhNHCSNH₂ to give the cyclocondensation product, thiazole II (X = O). Treating II (X = O) with PCl₃ gave the deoxygenated product II (X = electron pair) (III). At 1 mg/kg i.v. in Heidenhain pouch dogs, III gave 95.1% inhibition of acid output.

IT 94284-91-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and cardiogenic activity of)

RN 94284-91-0 CAPLUS

CN 2-Thiazolamine, 5-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-4-methyl- (9CI)
(CA INDEX NAME)




IT 94273-35-5P 94273-36-6P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, with hydrogen chloride)

RN 94273-35-5 CAPLUS


CN Formamide, N-methyl-N-[4-methyl-5-(6-methyl-1H-imidazo[4,5-b]pyridin-2-yl)-

2-thiazolyl]- (9CI) (CA INDEX NAME)



RN 94273-36-6 CAPLUS

CN Formamide, N-[5-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-4-methyl-2-thiazolyl]-N-methyl- (9CI) (CA INDEX NAME)




IT 94273-43-5P 94273-86-6P 94273-87-7P

94284-94-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 94273-43-5 CAPLUS

CN 2(3H)-Thiazolone, 5-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-4-methyl- (9CI) (CA INDEX NAME)



RN 94273-86-6 CAPLUS


CN 2-Thiazolamine, N,4-dimethyl-5-(6-methyl-1H-imidazo[4,5-b]pyridin-2-yl)-, hydrochloride (9CI) (CA INDEX NAME)



●x HCl


RN 94273-87-7 CAPLUS

CN 2-Thiazolamine, 5-(6-chloro-1H-imidazo[4,5-b]pyridin-2-yl)-N,4-dimethyl- (9CI) (CA INDEX NAME)



RN 94284-94-3 CAPLUS

CN 4-Thiazolecarboxylic acid, 2-amino-5-(6-methyl-1H-imidazo[4,5-b]pyridin-2-yl)-, ethyl ester (9CI) (CA INDEX NAME)



L5 ANSWER 16 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1983:119121 CAPLUS

DOCUMENT NUMBER: 98:119121

TITLE: Nonlinear pharmacokinetics of the new positive inotropic agent sulmazole in the dog

AUTHOR(S): Garrett, Edward R.; Roth, Willy

CORPORATE SOURCE: Coll. Pharm., Univ. Florida, Gainesville, FL, 32610, USA


SOURCE: Journal of Pharmaceutical Sciences (1983), 72(2), 105-16

CODEN: JPMSAE; ISSN: 0022-3549

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



AB sulmazole (I) [73384-60-8] pharmacokinetics were monitored in plasma and urine of dogs by a specific, sensitive reverse-phase high-performance liquid chromatog. system with fluorimetric detection. Sulmazole disappeared and the sulfonyl metabolite (II) [77414-24-5] appeared in plasma by zero-order rates for most of their time courses in the 2-15-mg/kg range with a 75% conversion to II. Pure Michaelis-Menten pharmacokinetics were not applicable, and the v_{max} value increased with increasing dose. Pharmacokinetics of sulmazole and II at 0.7 mg/kg i.v. doses were characterized by a 1st-order 2-compartment body model. The hydroxymetabolite (III) [77439-55-5] at 0.7 and 2 mg/kg i.v. doses showed no dose-dependent pharmacokinetics. The unchanged drug and its major metabolite, II, were only slightly excreted renally (0.5-2%). Their renal clearance showed urine flow rate dependencies. The plasma


protein bindings were; sulmazole, 40.8%; II, 54%; III, 43%, and they were concentration-independent.

IT 77439-55-5

RL: BIOL (Biological study)
(sulmazole metabolite, pharmacokinetics of)

RN 77439-55-5 CAPLUS

CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-
(9CI) (CA INDEX NAME)



L5 ANSWER 17 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1982:472362 CAPLUS

DOCUMENT NUMBER: 97:72362

TITLE: 6-Hydroxy-2-phenylimidazo[4,5-b]pyridines and medicaments containing them

INVENTOR(S): Diederer, Willi; Prox, Axel; Reuter, Albert; Roth, Willy; Schmid, Jochen

PATENT ASSIGNEE(S): Thomae, Dr. Karl, G.m.b.H., Fed. Rep. Ger.

SOURCE: Eur. Pat. Appl., 15 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 49407	A1	19820414	EP 1981-107423	19810918 <--
EP 49407	B1	19850508		
R: BE, CH, DE, FR, IT, LU, NL, SE				
DE 3037464	A1	19820519	DE 1980-3037464	19801003 <--
US 4353909	A	19821012	US 1981-305159	19810924 <--
AU 8176004	A	19820408	AU 1981-76004	19811002 <--
JP 57091988	A	19820608	JP 1981-157366	19811002 <--
ZA 8106826	A	19830629	ZA 1981-6826	19811002 <--
IL 63982	A	19840831	IL 1981-63982	19811002 <--

PRIORITY APPLN. INFO.: DE 1980-3037464 A 19801003


OTHER SOURCE(S): CASREACT 97:72362; MARPAT 97:72362

GI




AB The title compds. I (R = OH, n = 1, 2) were prepared Thus, I (R = H, n = 1) was oxidized with 3% H2O2 to give I (R = OH, n = 1, 2) which had pos. inotropic activities at 0.1 mg/kg i.v. in cats.


IT 77439-54-4P 77439-55-5P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation and inotropic activity of)
 RN 77439-54-4 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfonyl)phenyl]-
 (9CI) (CA INDEX NAME)



RN 77439-55-5 CAPLUS
 CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfinyl)phenyl]-
 (9CI) (CA INDEX NAME)



L5 ANSWER 18 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1981:185334 CAPLUS
 DOCUMENT NUMBER: 94:185334
 TITLE: AR-L 115 BS, comparison of human metabolite pattern and biotransformation with those of other species
 AUTHOR(S): Roth, W.; Prox, A.; Reuter, A.; Schmid, J.; Zimmer, A.; Zipp, H.
 CORPORATE SOURCE: Forschungslab., Dr. Karl Thomae G.m.b.H., Biberach an der Riss, Fed. Rep. Ger.
 SOURCE: Arzneimittel-Forschung (1981), 31(1A), 232-5
 CODEN: ARZNAD; ISSN: 0004-4172
 DOCUMENT TYPE: Journal
 LANGUAGE: German
 GI



I

AB The metabolic pattern of orally administered Vardax (AR-L 115 BS) (I) [73384-60-8] differed among various exptl. animals and man; only the


baboon had a metabolic pattern for I similar to that in man. The concentration of 2 nonpolar urinary metabolites of I, i.e., AR-L 114 BS [77414-24-5] (the corresponding sulfone) and AR-L 113 BS [77414-25-6] (the corresponding sulfide), was greater in the animals than in man. The main metabolic pathway for I was via an oxidative pyridine-ring cleavage leading to the formation of N-acetylated 6-aminoimidazoles. Hydroxylation in the 6-position of the pyridoimidazole moiety was another metabolic reaction. As with I, sulfones and sulfides of the N-acetylated and 6-hydroxylated metabolites were detected.

IT 77439-54-4 77439-55-5

RL: FORM (Formation, nonpreparative)
(formation of, as Vardax metabolite)


RN 77439-54-4 CAPLUS

CN 1H-Imidazo[4,5-b]pyridin-6-ol, 2-[2-methoxy-4-(methylsulfonyl)phenyl]-
(9CI) (CA INDEX NAME)



RN 77439-55-5 CAPLUS

CN 1H-Imidazo[4,5-b]pyridin-6-ol; 2-[2-methoxy-4-(methylsulfinyl)phenyl]-
(9CI) (CA INDEX NAME)



L5 ANSWER 19 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1981:120473 CAPLUS

DOCUMENT NUMBER: 94:120473

TITLE: Heterocyclization via selective elimination: reaction of 2,3-diaminopyridine with acyclic ketones under thermal conditions

AUTHOR(S): Dubey, Pramod Kumar; Ratnam, C. V.

CORPORATE SOURCE: Dep. Chem., Osmania Univ., Hyderabad, 500 007, India

SOURCE: Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (1980), 19B(10), 863-5

CODEN: IJSBDB; ISSN: 0376-4699

DOCUMENT TYPE: Journal


LANGUAGE: English

OTHER SOURCE(S): CASREACT 94:120473


AB Reactions of 2,3-diaminopyridine and its 5-bromo analog with 3 sym. and 9 unsym. acyclic ketones are examined under thermal conditions. The reactions gave 2-substituted-1H-imidazo[4,5-b]pyridines by the elimination of one of the C(2)-substituents from the probable, though unisolated, 2,2-disubstituted-2,3-dihydro-1H-imidazo[4,5-b]pyridine derivative intermediates. Elimination of one of the groups in the case of sym. ketones and preferentially of the PhCH₂ group in the case of PhCH₂Ac is

observed PhCH₂R (R = Me, Et, Pr) gave 2-phenylimidazopyridine by the selective loss of the alkyl group. Elimination of the branched alkyl group is observed in the reactions involving AcCMe₃ and AcCHMe₂; the preferential elimination of Me group is observed in the case of MeCOR (R = n-alkyl). The reaction mechanism is discussed.

IT 65147-89-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 65147-89-9 CAPLUS
 CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-phenyl- (CA INDEX NAME)




L5 ANSWER 20 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1978:44881 CAPLUS
 DOCUMENT NUMBER: 88:44881
 TITLE: Antitumor activity of eighty-four synthesized
 N-heteroaromatic compounds
 AUTHOR(S): Hayashi, Eisaku; Higashino, Takeo; Iijima, Chihoko;
 Oishi, Etsuo; Makino, Hirokazu; Irie, Toshio;
 Yamamoto, Fusako; Yokoyama, Yoko; Iwai, Yoshihisa; et
 al.
 CORPORATE SOURCE: Shizuoka Coll. Pharm., Shizuoka, Japan
 SOURCE: Yakugaku Zasshi (1977), 97(9), 1022-33
 CODEN: YKKZAJ; ISSN: 0031-6903
 DOCUMENT TYPE: Journal
 LANGUAGE: Japanese
 OTHER SOURCE(S): CASREACT 88:44881
 GI




AB Eighty-four compds. (mainly N-heteroarom. compds.) were synthesized and their antitumor activity was examined. Four quinoline derivs. had some antitumor effect on the solid type of Ehrlich carcinoma. These compds. were, 3-hydroxy-6-quinolinecarbonitrile (I) [63124-12-9], 6-bromoquinolinaldic acid 1-oxide [65147-79-7], 8-(hydroxyimino)-5,6,7,8-tetrahydroquinoline [58509-59-4] and 1-(hydroxyimino)-1,2,3,4-tetrahydroacridine [34043-68-0]. No other derivs. were found effective.

IT 65147-89-9P 65147-90-2P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation and antitumor activity of)
 RN 65147-89-9 CAPLUS
 CN 3H-Imidazo[4,5-b]pyridine, 6-bromo-2-phenyl- (CA INDEX NAME)



RN 65147-90-2 CAPLUS
CN 1H-Imidazo[4,5-b]pyridine, 6-bromo-2-(3-pyridinyl)- (9CI) (CA INDEX NAME)



L5 ANSWER 21 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1975:4251 CAPLUS
DOCUMENT NUMBER: 82:4251
TITLE: Imidazo[4,5-b]pyridines
INVENTOR(S): Kutter, Eberhard; Austel, Volkhard; Diederer, Willi
PATENT ASSIGNEE(S): Thomae, Dr. Karl., G.m.b.H.
SOURCE: Ger. Offen., 62 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2305339	A1	19740808	DE 1973-2305339	19730203 <--
DE 2305339	B2	19790823		
DE 2305339	C3	19800508		
FI 58126	B	19800829	FI 1973-3989	19731227 <--
FI 58126	C	19801210		
AT 7400164	A	19760215	AT 1974-164	19740110 <--
AT 332873	B	19761025		
ES 422450	A1	19760501	ES 1974-422450	19740119 <--
CS 200169	B2	19800829	CS 1974-443	19740123 <--
SU 563917	A3	19770630	SU 1974-1990335	19740129 <--
NL 7401254	A	19740806	NL 1974-1254	19740130 <--
NL 173645	B	19830916		
NL 173645	C	19840216		
CH 605939	A5	19781013	CH 1974-1363	19740131 <--
RO 79057	A1	19820625	RO 1974-77478	19740131 <--
RO 84276	A1	19840523	RO 1974-106042	19740131 <--
BE 810545	A1	19740801	BE 1974-140502	19740201 <--
FR 2215968	A1	19740830	FR 1974-3491	19740201 <--
JP 49102693	A	19740927	JP 1974-13568	19740201 <--
JP 57048556	B	19821016		
DD 108989	A5	19741012	DD 1974-176324	19740201 <--
AU 7465129	A	19750807	AU 1974-65129	19740201 <--
GB 1445824	A	19760811	GB 1974-4808	19740201 <--
HU 170909	B	19770928	HU 1974-TO951	19740201 <--
CA 1041502	A1	19781031	CA 1974-191585	19740201 <--
NO 139386	C	19790228	NO 1974-327	19740201 <--
NO 139386	B	19781120		
DK 140760	B	19791112	DK 1974-563	19740201 <--
DK 140760	C	19800421		

SE 411451	B	19791227	SE 1974-1393	19740201 <--
SE 411451	C	19800417		
PL 93127	B1	19770530	PL 1974-168533	19740202 <--
ZA 7400695	A	19751029	ZA 1974-695	19740204 <--
US 3985891	A	19761012	US 1975-606886	19750822 <--
SU 634673	A3	19781125	SU 1975-2170503	19750827 <--

PRIORITY APPLN. INFO.:

DE 1973-2305339	A	19730203
DE 1973-2361757	A	19731212
US 1974-439362	A2	19740204

GI For diagram(s), see printed CA Issue.


AB Imidazopyridines (100 compds.) including the pos. inotropic I (R = OMe, R1 = 4-OMe, 4-Cl, 4-Me, 4-SMe, 4-SOMe, 5-SMe; R = OEt, R1 = 4-OMe, 4-Me; R = OCH2CH2SOMe, R1 = 4-OMe, 4-SMe) and some 3-alkyl and pyridine ring-substituted compds. were prepared. Thus, 2,3-pyridinediamine was cyclized with 2,4-(MeO)2C6H3CO to give 85% I (R = OMe, R1 = 4-OMe) which at 1 + 10- nl increased the contraction amplitude of isolated guinea rium by 57%.

IT 53929-85-4P 53929-87-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 53929-85-4 CAPLUS


CN 1H-Imidazo[4,5-b]pyridine, 2-(2,4-dimethoxyphenyl)-6-methyl-,
monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 53929-87-6 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-(2,4-dimethoxyphenyl)-,
monohydrochloride (9CI) (CA INDEX NAME)



● HCl

L5 ANSWER 22 OF 22 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1969:47460 CAPLUS

DOCUMENT NUMBER: 70:47460

TITLE: Herbicidal imidazo[4,5-b]pyridines

INVENTOR(S): Allan, Leslie T.; Newbold, Geoffrey T.; Percival, Albert

PATENT ASSIGNEE(S): Fisons Pest Control Ltd.

SOURCE: S. African, 26 pp.

CODEN: SFXAB

DOCUMENT TYPE: Patent

LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ZA 6705744		19680326		
DE 1670940			DE	
FR 1540740			FR	
GB 1186504			GB	

PRIORITY APPLN. INFO.: GB 19661015


GI For diagram(s), see printed CA Issue.

AB The title compds. (I) are prepared by heating 2,3-diaminopyridine derivs. with RCO₂H, which gives I (R₁ = H), or with (RCO)₂O, which gives I (R₁ = RCO); or by treating I (R₁ = H) with an acyl halide in Me₂CO in the presence of Et₃N. The following I were prepared (R, R₁, R₂, R₃, % yield, and m.p. given): iso-Pr, H, H, Cl, 70, 190-2° (PhMe); isoamyl, H, H, Cl, -, 208-10°; iso-Bu, H, H, Cl, -, 207-8°; Et₂CH, H, H, Cl, -, 183-4°; cyclohexyl, H, H, Cl, -, 238-40°; Me, H, H, Cl, -, 276-7°; Et, H, H, Cl, -, 232-3°; C₅H₁₁, H, H, Cl, -, 194-6°; Pr, H, H, Cl, -, 217-19°; tert-Bu, H, H, Cl, -, 235-7° (HCl salt m. 205-8°); iso-Bu, H, Br, Me, -, 157-9° (CHCl₃-petroleum ether); iso-Pr, H, H, H, 70, 247-9° (C₆H₆-petroleum ether); Et, H, NO₂, H, -, 253-5°; Me, H, Br, Me, -, 243-6°; Et₂CH, H, H, H, -, 154-7°; iso-Bu, H, H, H, -, 137-9°; tert-Bu, H, H, H, -, 249-51°; tert-Bu, H, H, NO₂, -, 233-5°; Pr, PrCO, H, Cl, 40, 92-4° (petroleum ether); Et, EtCO, H, Cl, -, 117-18°; iso-Pr, CO₂Ph, Me, Cl, 48, 152-5° (petroleum ether); and iso-Pr, CO₂Ph, Me, Br, -, 174-6°. Other compds. were listed., but no phys. properties were given. Herbicidal test results were given.

IT 21714-46-5P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 21714-46-5 CAPLUS

CN 1H-Imidazo[4,5-b]pyridine, 6-chloro-2-cyclohexyl- (8CI) (CA INDEX NAME)



=> d his

(FILE 'HOME' ENTERED AT 06:33:42 ON 30 JUL 2007)

FILE 'REGISTRY' ENTERED AT 06:33:51 ON 30 JUL 2007

L1 STRUCTURE UPLOADED

L2 46 S L1

L3 1043 S L1 FULL

FILE 'CAPLUS' ENTERED AT 06:34:18 ON 30 JUL 2007

L4 55 S L3 FULL

L5 22 S L4 AND PY<2002

FILE 'STNGUIDE' ENTERED AT 06:36:45 ON 30 JUL 2007

FILE 'CAPLUS' ENTERED AT 06:39:23 ON 30 JUL 2007

FILE 'STNGUIDE' ENTERED AT 06:39:28 ON 30 JUL 2007

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.66

293.51

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-17.16

STN INTERNATIONAL LOGOFF AT 06:46:16 ON 30 JUL 2007